Zoom+ Flag Arch G-ZOOM+ARCH-FK



Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- Keep critical artwork (images, logos, copy or text) within white
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to outlines - no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

25%

This template is supplied at 25% of finished size -**DO NOT RESIZE**

3mm

This template includes 3mm bleed (black line / stroke).



The overall size of this template is 993 (w) x 707.5 (h) mm and includes bleed.



Product Graphic Area: 3928.5 (w) x 2786 (h) mm

Safe Area: 3815.5 (w) x 2674 (h) mm This is the white safe area, keep all critical artwork within this area.

Large Edge ZOOM+

Hardware Code UF-ZME4



Please follow the 8 steps below before submitting print ready artwork files.

Create artwork on the 'Artwork'
Layer in CMYK mode only and
provide Pantone samples to match
to. Leave other layers as they are
and do not delete.

Keep critical artwork (images,

- logos, copy or text) within white 'safe' area.

 Ensure your artwork extends to
- outer edge of the bleed (indicated by black line / stroke).
 All linked images must be converted to CMYK and be

supplied with your PDF (Do not

- supply in RGB or embed them).

 All linked images used on this template must have a minimum
- All fonts must be converted to outlines no live copy to remain.

resolution of 300dpi.

document contains Pantone colours and provide a sample to match to.

Save artwork using Adobe PDF

You must inform us if your

preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

25%

This template is supplied at 25% of finished size - DO NOT RESIZE

3mm

This template includes 3mm bleed (black line / stroke).



this template is 214 (w) x 830 (h) mm and includes bleed.

The overall size of



848 (w) x 3312 (h) mm

659 (w) x 3188 (h) mm. This is the white safe

Safe Area:

area, keep all critical artwork within this area.

Medium Edge ZOOM+

Hardware Code UF-ZME3



Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork'
 Layer in CMYK mode only and
 provide Pantone samples to match
 to. Leave other layers as they are
 and do not delete.
- 2 Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to outlines no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

25%

This template is supplied at 25% of finished size - DO NOT RESIZE

3_mm

This template includes 3mm bleed (black line / stroke).



The overall size of this template is 214 (w) x 580 (h) mm and includes bleed.



Product Graphic Area: 850 (w) x 2314 (h) mm

Safe Area:

659 (w) x 2191 (h) mm This is the white safe area, keep all critical artwork within this area.

Small Edge ZOOM+

Hardware Code UF-ZME2



Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork'
 Layer in CMYK mode only and
 provide Pantone samples to match
 to. Leave other layers as they are
 and do not delete.
- 2 Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to outlines no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

25%

This template is supplied at 25% of finished size - DO NOT RESIZE

3_mm

This template includes 3mm bleed (black line / stroke).



The overall size of this template is 214 (w) x 330 (h) mm and includes bleed.



Product Graphic Area: 850 (w) x 1316 (h) mm

Safe Area: 659 (w) x 1188 (h) mm. This is the white safe area, keep all critical artwork within this area.

Large Feather ZOOM+

Hardware Code UF-ZM-LA



Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork'
 Layer in CMYK mode only and
 provide Pantone samples to match
 to. Leave other layers as they are
 and do not delete.
- 2 Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- All linked images used on this template must have a minimum resolution of 300dpi.

All fonts must be converted to

outlines - no live copy to remain.

You must inform us if your document contains Pantone colours and provide a sample to

match to.

Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

25%

at 25% of finished size - DO NOT RESIZE

This template is supplied

3_mm

This template includes 3mm bleed (black line / stroke).



The overall size of this template is 241 (w) x 848 (h) mm and includes bleed.



958 (w) x 3386 (h) mm

Product Graphic Area:

Safe Area: 846 (w) x 3306 (h) mm

Medium Feather ZOOM+

Hardware Code UF-ZM-ME



Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- Keep critical artwork (images, logos, copy or text) within white 'safe' area. Ensure your artwork extends to
- outer edge of the bleed (indicated by black line / stroke). All linked images must be converted to CMYK and be

supplied with your PDF (Do not

- supply in RGB or embed them). All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to outlines - no live copy to remain.

You must inform us if your

- document contains Pantone colours and provide a sample to match to. Save artwork using Adobe PDF
- preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

25% This template is supplied

at 25% of finished size -**DO NOT RESIZE**

3mm This template includes 3mm bleed

(black line / stroke).



The overall size of this template is 152 (w) x 656 (h) mm and includes bleed.



604 (w) x 2620 (h) mm Safe Area: 524 (w) x 2532 (h) mm.

Small Feather ZOOM+

Hardware Code UF-ZM-SM



Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork'
 Layer in CMYK mode only and
 provide Pantone samples to match
 to. Leave other layers as they are
 and do not delete.
- 2 Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to outlines no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

25%

This template is supplied at 25% of finished size - DO NOT RESIZE

3_mm

This template includes 3mm bleed (black line / stroke).



The overall size of this template is 167.15 (w) x 471 (h) mm and includes bleed.



Product Graphic Area: 662.56 (w) x 1878 (h) mm

Safe Area: 580 (w) x 1798 (h) mm

XL Feather ZOOM+

Hardware Code UF-ZM-EXLA



Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- All linked images used on this template must have a minimum resolution of 300dpi.
- outlines no live copy to remain. You must inform us if your document contains Pantone colours and provide a sample to

match to.

All fonts must be converted to

Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

25% This template is supplied

at 25% of finished size -**DO NOT RESIZE**

3_mm

This template

includes 3mm bleed (black line / stroke).



The overall size of this template is 264.5 (w) x 965 (h) mm

and includes bleed.



Product Graphic Area:

1052 (w) x 3856 (h) mm Safe Area: 972 (w) x 3774 (h) mm.

Large ZOOM QUILL

Hardware Code UF-ZM-LA

25%

This template is supplied at 25% of finished size - DO NOT RESIZE

3mm

This template includes 3mm bleed (black line / stroke).



The overall size of this template is 306 (w) 742 (h) mm and includes bleed.



1220 (w) 2952 (h) mm **Safe Area:** 1136 (w) 2736 (h) mm.



ARTWORK CHECKLIST

Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- 2 Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to outlines no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

Medium ZOOM QUILL

Hardware Code UF-ZM-ME

25%

This template is supplied at 25% of finished size - DO NOT RESIZE

3_mm

This template includes 3mm bleed (black line / stroke).



The overall size of this template is 176 (w) x 545 (h) mm and includes bleed.



roduct Graphic Area 96 (w) 2160 (h) mm

Safe Area: 612 (w) 1888 (h) mm.



ARTWORK CHECKLIST

Please follow the 8 steps below before submitting print ready artwork files.

- 1 Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- 2 Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- All linked images used on this template must have a minimum resolution of 300dpi.
- 6 All fonts must be converted to outlines no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- Save artwork using
 Adobe PDF preset
 PDF/X-4:2010,
 and check box
 to "Create
 Acrobat
 layers from top
 level layers".

Small ZOOM QUILL

Hardware Code UF-ZM-SM

25%

This template is supplied at 25% of finished size - DO NOT RESIZE

3_mm

This template includes 3mm bleed (black line / stroke).



The overall size of this template is 176.5 (w) 375.5 (h) mm and includes bleed.



Product Graphic Area:

Safe Area: 620 (w) 1328 (h) mm



ARTWORK CHECKLIST

Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- 2 Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to outlines no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- Save artwork using
 Adobe PDF preset
 PDF/X-4:2010,
 and check box
 to "Create
 Acrobat
 layers
 from top
 level
 layers".

Extra Large ZOOM QUILL

Hardware Code UF-ZM-EXLA

25%

This template is supplied at 25% of finished size -**DO NOT RESIZE**

3_{mm}

This template includes 3mm bleed (black line / stroke).



The overall size of this template is 307 (w) 920 (h) mm and includes bleed.





ARTWORK CHECKLIST

Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to 6 outlines - no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.

Save artwork using

8 Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".