# Large Edge ZOOM+

Hardware Code UF-ZME4



Please follow the 8 steps below before submitting print ready artwork files.

Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.

Keep critical artwork (images,

Create artwork on the 'Artwork'

- logos, copy or text) within white 'safe' area.

  Ensure your artwork extends to
- outer edge of the bleed (indicated by black line / stroke).
   All linked images must be converted to CMYK and be

supplied with your PDF (Do not

supply in RGB or embed them).

All linked images used on this template must have a minimum

resolution of 300dpi.

- All fonts must be converted to outlines no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

Save artwork using Adobe PDF

25%

This template is supplied at 25% of finished size - DO NOT RESIZE

### 3mm

This template includes 3mm bleed (black line / stroke).




The overall size of this template is 214 (w) x 830 (h) mm and includes bleed.



848 (w) x 3312 (h) mm

659 (w) x 3188 (h) mm. This is the white safe area, keep all critical artwork within this area.

Safe Area:



# Medium Edge ZOOM+

Hardware Code UF-ZME3



Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork'
  Layer in CMYK mode only and
  provide Pantone samples to match
  to. Leave other layers as they are
  and do not delete.
- 2 Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to outlines no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

25%

This template is supplied at 25% of finished size - **DO NOT RESIZE** 

### 3<sub>m</sub>m

This template includes 3mm bleed (black line / stroke).




The overall size of this template is 214 (w) x 580 (h) mm and includes bleed.



**Product Graphic Area:** 850 (w) x 2312 (h) mm

#### Safe Area:

659 (w) x 2192 (h) mm This is the white safe area, keep all critical artwork within this area.



# Small Edge ZOOM+

Hardware Code UF-ZME2



Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork'
  Layer in CMYK mode only and
  provide Pantone samples to match
  to. Leave other layers as they are
  and do not delete.
- 2 Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to outlines no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

25%

This template is supplied at 25% of finished size - DO NOT RESIZE

3<sub>m</sub>m

This template includes 3mm bleed (black line / stroke).




The overall size of this template is 214 (w) x 330 (h) mm and includes bleed.



Product Graphic Area: 850 (w) x 1316 (h) mm

Safe Area: 659 (w) x 1188 (h) mm This is the white safe area, keep all critical artwork within this area.



### Large Feather ZOOM+

Hardware Code UF-ZM-LA



Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- All linked images used on this template must have a minimum resolution of 300dpi.

All fonts must be converted to

outlines - no live copy to remain. You must inform us if your document contains Pantone colours and provide a sample to

match to.

Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

25%

at 25% of finished size -**DO NOT RESIZE** 

This template is supplied

3<sub>m</sub>m

This template includes 3mm bleed (black line / stroke).




The overall size of this template is 241 (w) x 848 (h) mm and includes bleed.



958 (w) x 3386 (h) mm

Safe Area: 846 (w) x 3306 (h) mm.



### **Medium Feather** ZOOM+

Hardware Code UF-ZM-ME



Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- Keep critical artwork (images, logos, copy or text) within white 'safe' area. Ensure your artwork extends to
- outer edge of the bleed (indicated by black line / stroke). All linked images must be converted to CMYK and be

supplied with your PDF (Do not

- supply in RGB or embed them). All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to outlines - no live copy to remain.

You must inform us if your

- document contains Pantone colours and provide a sample to match to. Save artwork using Adobe PDF
- preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

25% This template is supplied

at 25% of finished size -**DO NOT RESIZE** 

3mm This template includes 3mm bleed


(black line / stroke).



The overall size of this template is 152 (w) x 656 (h) mm and includes bleed.



604 (w) x 2620 (h) mm Safe Area: 524 (w) x 2532 (h) mm.



### **Small Feather ZOOM+**

Hardware Code UF-ZM-SM



Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork'
  Layer in CMYK mode only and
  provide Pantone samples to match
  to. Leave other layers as they are
  and do not delete.
- 2 Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to outlines no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

25%

This template is supplied at 25% of finished size - DO NOT RESIZE

3<sub>mm</sub>

This template includes 3mm bleed (black line / stroke).




The overall size of this template is 167.15 (w) x 471 (h) mm and includes bleed.



Product Graphic Area: 662.56 (w) x 1878 (h) mm

**Safe Area:** 580 (w) x 1798 (h) mm.



# Large ZOOM QUILL

#### Hardware Code UF-ZM-LA

25%

This template is supplied at 25% of finished size - DO NOT RESIZE

3mm

This template includes 3mm bleed (black line / stroke).



The overall size of this template is 306 (w) 742 (h) mm and includes bleed.



Product Graphic Area: 1220 (w) 2952 (h) mm

**Safe Area:** 1136 (w) 2736 (h) mm.



#### **ARTWORK CHECKLIST**

Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- 2 Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- 3 Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to outlines no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".



# Medium ZOOM QUILL

#### Hardware Code UF-ZM-ME

25%

This template is supplied at 25% of finished size - DO NOT RESIZE

#### 3mm

This template includes 3mm bleed (black line / stroke).



The overall size of this template is 176 (w) 545 (h) mm and includes bleed.



roduct Graphic Area 96 (w) 2160 (h) mm

596 (W) 2160 (II) IIIII



#### **ARTWORK CHECKLIST**

Please follow the 8 steps below before submitting print ready artwork files.

- 1 Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- 2 Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- All linked images used on this template must have a minimum resolution of 300dpi.
- 6 All fonts must be converted to outlines no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- Save artwork using
  Adobe PDF preset
  PDF/X-4:2010,
  and check box
  to "Create
  Acrobat
  layers from top
  level layers".



# Small ZOOM QUILL

Hardware Code UF-ZM-SM

25%

This template is supplied at 25% of finished size - DO NOT RESIZE

#### 3<sub>m</sub>m

This template includes 3mm bleed (black line / stroke).



The overall size of this template is 176.5 (w) 375.5 (h) mm and includes bleed.



Product Graphic Area

Safe Area:



#### **ARTWORK** CHECKLIST

Please follow the 8 steps below before submitting print ready artwork files.

- Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- 2 Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- All linked images used on this template must have a minimum resolution of 300dpi.
- All fonts must be converted to outlines no live copy to remain.
- You must inform us if your document contains Pantone colours and provide a sample to match to.
- Save artwork using
  Adobe PDF preset
  PDF/X-4:2010,
  and check box
  to "Create
  Acrobat
  layers
  from top
  level
  layers".

